

Zoey

## Customer & Pet Information

Call Name	Zoey Cali 1225	DOB	Aug. 9, 2023
Registered Name	-	Registration #	SS43380001
Breed	Labrador Retriever	Tattoo	-
Sex	Female	Microchip	-
Ordered By	Tonya Swoape	Laboratory #	461200
		Report Date	Sept. 11, 2024

WT:  wild type (normal)    M:  mutant    Y:  Y chromosome (male)

## Breed Profile

Disease Name	Genotype	Interpretation
Centronuclear Myopathy	WT/WT	Normal (Clear)
Cone Degeneration (Labrador Retriever Type)	WT/WT	Normal (Clear)
Congenital Myasthenic Syndrome (Labrador Retriever Type)	WT/WT	Normal (Clear)
Cystinuria (Labrador Retriever Type)	WT/WT	Normal (Clear)
Degenerative Myelopathy	WT/WT	Normal (Clear)
Degenerative Myelopathy (Bernese Mountain Dog Variant)	0	
Degenerative Myelopathy (Common Variant)	0	
Ehlers-Danlos Syndrome (Labrador Retriever Type), Variant 1	WT/WT	Normal (Clear)
Ehlers-Danlos Syndrome (Labrador Retriever Type), Variant 2	WT/WT	Normal (Clear)
Elliptocytosis	WT/WT	Normal (Clear)
Exercise-Induced Collapse	WT/WT	Normal (Clear)
Hereditary Nasal Parakeratosis (Labrador Retriever Type)	WT/WT	Normal (Clear)
Hyperuricosuria	WT/WT	Normal (Clear)
Ichthyosis (Golden Retriever Type 1)	WT/WT	Normal (Clear)
Intervertebral Disc Disease Risk Factor and Chondrodystrophy (CDDY with IVDD)	WT/WT	Normal (Clear)

Laryngeal Paralysis and Polyneuropathy (Leonberger Type 3)	WT/WT	Normal (Clear)
Macular Corneal Dystrophy (Labrador Retriever Type)	WT/WT	Normal (Clear)
Myotonia Congenita (Labrador Retriever Type)	WT/WT	Normal (Clear)
Myotubular Myopathy 1 (Labrador Retriever Type)	WT/WT	X-Linked Female Normal
Narcolepsy (Labrador Retriever Type)	WT/WT	Normal (Clear)
Progressive Retinal Atrophy, Cone-Rod Dystrophy 4	WT/WT	Normal (Clear)
Progressive Retinal Atrophy, Golden Retriever 2	WT/WT	Normal (Clear)
Progressive Retinal Atrophy, Progressive Rod-Cone Degeneration (prcd)	WT/M	Carrier
Pyruvate Kinase Deficiency (Labrador Retriever Type)	WT/WT	Normal (Clear)
Retinal Dysplasia/Oculoskeletal Dysplasia 1	WT/WT	Normal (Clear)
Skeletal Dysplasia 2	WT/WT	Normal (Clear)
Stargardt Disease	WT/WT	Normal (Clear)
Ullrich Congenital Muscular Dystrophy (Labrador Retriever Type 1)	WT/WT	Normal (Clear)
Ullrich Congenital Muscular Dystrophy (Labrador Retriever Type 2)	WT/WT	Normal (Clear)

WT: wild type (normal)    M: mutant    Y: Y chromosome (male)

## Coat Colors & Traits

Trait Name	Genotype	Interpretation
A Locus (Agouti)	a <sup>t</sup> /a <sup>t</sup>	Tricolor, black and tan
A <sup>s</sup> Locus (Saddle Tan)	N/N	No saddle tan/creeping tan
B Locus (Brown)	B/b	Black coat, nose and foot pads (carries one copy of brown)

B Locus (Brown) - b <sup>a</sup>	0	
B Locus (Brown) - b <sup>c</sup>	0	
B Locus (Brown) - b <sup>d</sup>	0	
B Locus (Brown) - b <sup>h</sup>	0	
B Locus (Brown) - b <sup>e</sup>	0	
B Locus (Brown) - b <sup>s</sup>	1	
<b>Brachycephaly</b>	<b>BR/BR</b>	<b>Likely medium to long muzzle</b>
<b>Chondrodysplasia (CDPA)</b>	<b>cd/cd</b>	<b>Likely typical leg length</b>
<b>Co Locus (Cocoa, French Bulldog Type)</b>	<b>CO/CO</b>	<b>Black coat, nose and foot pads (does not carry cocoa)</b>
<b>Cu Locus (Curly Hair)</b>	<b>Cu/Cu</b>	<b>Straight coat</b>
<b>D Locus (Dilute)</b>	<b>D/D</b>	<b>Non-dilute (does not carry dilute)</b>
D Locus (Dilute) - d <sup>1</sup>	0	
D Locus (Dilute) - d <sup>2</sup>	0	
D Locus (Dilute) - d <sup>3</sup>	0	
<b>E Locus</b>	<b>E/e<sup>1</sup></b>	<b>Black - Carrier (Yellow/Red)</b>
E Locus - E <sup>m</sup> (Melanistic Mask)	0	
E Locus - E <sup>g</sup> (Grizzle, Afghan Hound Type)	0	
E Locus - E <sup>h</sup> (Sable, Cocker Spaniel Type)	0	
E Locus - e <sup>A</sup> (Ancient Red, Spitz and Scent Hound Type)	0	
E Locus - e <sup>1</sup> (Yellow/Red)	1	
E Locus - e <sup>2</sup> (Cream, Australian Cattle Dog Type)	0	
E Locus - e <sup>3</sup> (White, Alaskan and Siberian Husky Type)	0	
<b>H Locus (Harlequin, Great Dane Type)</b>	<b>h/h</b>	<b>No harlequin</b>
<b>Hairlessness</b>	<b>Rh/Rh</b>	<b>Coated</b>

Hairlessness (American Hairless Terrier Type) - rh <sup>1</sup>	0	
Hairlessness (Scottish Deerhound Type) - rh <sup>2</sup>	0	
<b>Hr Locus (FOXI3 Hairless Gene Test, Mexican Hairless, Peruvian Hairless and Chinese Crested Type)</b>	<b>hr/hr</b>	<b>Coated</b>
<b>I Locus (Intensity)</b>	<b>I/I</b>	<b>Normal intensity</b>
<b>IC Locus (Improper Coat/Furnishings)</b>	<b>IC/IC</b>	<b>No furnishings, improper coat</b>
<b>K Locus (Dominant Black)</b>	<b>K<sup>B</sup>/K<sup>B</sup></b>	<b>No agouti expression allowed</b>
<b>L Locus (Long Hair/Fluffy)</b>	<b>Sh/Sh</b>	<b>Shorthaired (does not carry long hair)</b>
L Locus (Long Hair/Fluffy) - Lh <sup>1</sup>	0	
L Locus (Long Hair/Fluffy) - Lh <sup>2</sup>	0	
L Locus (Long Hair/Fluffy) - Lh <sup>3</sup>	0	
L Locus (Long Hair/Fluffy) - Lh <sup>4</sup>	0	
<b>M Locus (Merle)</b>	<b>m/m</b>	<b>Non merle</b>
<b>Polydactyly (Common Variant)</b>	<b>pd/pd</b>	<b>Normal (typical) toes (likely no hind dewclaws)</b>
<b>Polydactyly (Great Pyrenees Type)</b>	<b>WT/WT</b>	<b>Normal (Clear)</b>
<b>R Locus (Roan/Ticked)</b>	<b>R<sup>Ti</sup>/r</b>	<b>Ticked (carries non-roan)</b>
R Locus (Roan/Ticked) - R <sup>Ti</sup>	1	
R Locus (Roan/Ticked) - R	0	
<b>S Locus (White Spotting, Parti, or Piebald)</b>	<b>S/S</b>	<b>No white spotting, flash, parti, or piebald</b>
<b>SD Locus (Shedding)</b>	<b>SD/SD</b>	<b>High shedding</b>

<b>Sex Determination</b>	<b>X/X</b>	<b>Female</b>
<b>Social Behavior</b>	<b>WT/M; WT/M</b>	<b>May demonstrate more social behavior</b>
Social Behavior, Variant 1	1	
Social Behavior, Variant 2	1	
<b>T Locus (Natural Bobtail)</b>	<b>t/t</b>	<b>Normal tail</b>

WT: **wild type (normal)** M: **mutant** Y: **Y chromosome (male)**

Determinants of coat colors and traits are complex. Many of these variants are known and many of the genes screened in the Canine HealthCheck interact. In addition, not all the genetic factors that contribute to a dog's coat color and traits are known. Because of the complexities in gene-gene interactions, the coat colors and traits reported in your Canine HealthCheck results may vary from your dog's actual appearance. Individual differences in genes throughout the canine genome, not tested in this genetic screen, may also affect the final coat color or traits seen in your dog.

## Explanation of Results

<b>Normal</b>	A 'Normal' result means that your dog does not have the mutation that causes the associated genetic disease.
<b>Carrier</b>	A 'Carrier' result indicates that your dog has inherited one copy of the mutation that has been reported to cause this genetic disease. Your dog may not be clinically affected by this mutation because two copies of the mutation are usually required to cause disease.
<b>Carrier / At-Risk</b>	A 'Carrier / At-Risk' result indicates that your dog inherited one copy of the mutation that has been reported to cause this genetic disease. Based on the mode of genetic inheritance for this particular disease, inheriting one mutant copy of the gene may result in the disease. Dogs with one copy of the mutation may have a milder phenotype as compared to dogs with two copies of this mutation.
<b>At-Risk / Affected</b>	An 'At-Risk / Affected' result indicates that your dog inherited one or two copies of the mutation that has been reported to cause this genetic disease. Based on the mode of genetic inheritance for this particular disease, inheriting one or two mutant copies of the gene may result in the disease.
<b>No Result</b>	'No Result' indicates that we were unable to obtain a genotype for your dog for this specific disease or trait and does not mean that your dog is a carrier or at-risk for this disease. There are a variety of reasons why a specific test may not provide a reportable result. Unique variations in the genetic code of some individuals may exist and cause certain regions of the genome to not perform properly with a specific test. In addition, suboptimal sampling of the dog's cheek cells could also result in poor sample performance due to inadequate cell counts, bacterial and fungal growth, or the presence of other test inhibitors. Dogs with at least 90% of the test results are determined to be acceptable and reportable. If your dog has an unacceptable level of tests with no results, you will be contacted for a new sample to repeat the testing.